



File Name: canon sx110 user manual pdf.pdf
Size: 4854 KB
Type: PDF, ePub, eBook
Category: Book
Uploaded: 20 May 2019, 18:51 PM
Rating: 4.6/5 from 820 votes.

Status: AVAILABLE

Last checked: 1 Minutes ago!

In order to read or download canon sx110 user manual pdf ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

- [Register a free 1 month Trial Account.](#)
- [Download as many books as you like \(Personal use\)](#)
- [Cancel the membership at any time if not satisfied.](#)
- [Join Over 80000 Happy Readers](#)

Book Descriptions:


We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon sx110 user manual pdf . To get started finding canon sx110 user manual pdf , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

canon sx110 user manual pdf



You may download and use the Content solely for your personal, noncommercial use and at your own risks. Canon shall not be held liable for any damages whatsoever in connection with the Content, including, without limitation, indirect, consequential, exemplary or incidental damages. You shall also not and shall not let others reproduce, modify, reformat or create derivative works from the Content, in whole or in part. Start out by familiarizing yourself with the camera and mastering the basics. Please Read.7 Getting Started. Some functions may not be available in certain shooting modes. If there is no notation to that effect, the function may be used in all modes. This mark denotes issues that may affect the camera's operation. Please be aware of this and take care when operating the camera for an extended period. About the LCD Monitor The LCD monitor is produced with extremely highprecision manufacturing techniques. Take care that you do not drop the batteries. To Remove the Memory Card Push the memory card with your finger until you hear a click, then release it. Use the wrist strap to avoid dropping the camera during use. Power Button Button Control Dial Buttons MENU Button Press the power button. Select the month, day, year and time, and the display order. 1. Button Button Buttons MENU Button Press the playback button. Select a shooting mode. Use the button to select an image to erase and press the button. You can also select images by using the control dial.For details, see the Direct Print User Guide. Turn on the printer. Connect the camera to the printer. Print the image. Select a shooting mode. 1. Set the mode dial to Movie. 2. Use the control dial to select Standard. Aim the camera at the subject. Do not touch the microphone while Microphone recording. Shooting Preparations Complete Lights green Press the shutter button fully to shoot. Use the button to display a movie and press button. Use the button to select Play and press the.<http://ecoverexpert.com/userfiles/dvr-800-ii-manual.xml>

- **canon s110 user manual pdf, canon powershot sx110 is user manual pdf, canon sx110 user manual pdf, canon sx110 user manual pdf download, canon sx110 user manual**



Slide the camera's terminal cover to the left to open and insert the interface cable all the way into the terminal. CameraWindow appears. Macintosh The CameraWindow will appear when you establish a connection between the camera and computer. Install the software before downloading images via the direct transfer method for the first time p. 28. Button Button Buttons MENU Button Confirm that the Direct Transfer menu is displayed on. All Images Transfers and saves all images to the computer. Transfers and saves to the computer only the New Images images that have not been previously transferred. The button will blink blue while downloading is in progress. Some accessories are not sold in some regions, or may no longer be available. This product is designed to achieve excellent performance when used with genuine Canon accessories. You can perform the following operations when you turn the control dial. Shutter Button Power Button Button Turning Shooting Mode the Camera Off Press the power button Press the shutter Press Press Press the power button halfway button button button. They will not display during sufficient battery charge. Display on the LCD monitor Summary Battery charge is low. Overexposure Warning In the following cases, overexposed portions of the image blink. When reviewing an image right after shooting in the LCD monitor information view. When using the detailed display mode during playback. Histogram Function The histogram is a graph that allows you to check the brightness of an image. As this setting will be stored to memory even when the power is turned off, to print using an image size other. See Information Displayed on the LCD Monitor and Menus for details p. 48. The following are the screens that display when shooting in mode. Shooting Mode. Pressing the zoom lever toward again allows you to zoom even further not available in. Press the zoom lever toward and shoot. Make settings. <http://www.sushi-king.com.vn/imagesflashupload/dvr-722-manual.xml>

Canon

*PowerShot SX110 IS***Guide d'utilisation de
l'appareil photo**
**Guide de mise
en route**

page 9

Assurez-vous de lire les Précautions de sécurité (pages 118 – 119).

When recharging ends, the indicator turns off and the LCD monitor turns on. The time required for flash recharging will change depending on usage conditions and remaining battery power. Press the button. Camera shake may not be fully corrected when shooting with slow shutter speeds, such as with evening shots. Use the Auto ISO Shift p. 75, or fix the camera using a tripod to shoot. Adjust the ISO Speed. Beach Shoots without making people appear dark near water or sand where reflected sunlight is strong. Fireworks Captures fireworks in the sky sharply and at optimal exposure. You can set the ISO speed, exposure compensation and white balance. Set the mode dial to Shoot. Faster shutter speeds allow you to catch an instantaneous image of a moving subject, while slower speeds create a flowing effect and allow you to shoot without a flash in dark areas. When you set the aperture value, the camera automatically selects a shutter speed to match the brightness. Selecting a lower aperture value opening the aperture allows you to blur the background and create a beautiful portrait. Therefore, even if an aperture value is preset, the aperture value may automatically be reset to match the synchronized flash speed. Aperture Value Display The larger the aperture value, the smaller the lens opening, allowing less light to enter the camera. Set the mode dial to Configure the shutter speed and aperture setting. 1. Press the button to select the shutter speed or aperture value. When you select a fast shutter speed or shoot a subject that appears dark, set the flash to Flash on to make the LCD monitor display. The recording time will differ according to the memory card used p. 204. Standard You can select the recording pixels and record until the memory card is full. The digital zoom can be used while shooting in this mode p. The combined digital and optical zoom factor will display on the LCD monitor. When the zoom factor displays in blue, the image will deteriorate.

You can use digital zoom during movie shooting in mode only. Focus Display on while the LCD. Recording will cease when the shutter button is released. To Cancel Continuous Shooting Follow procedure 1 to display and manual focus modes, will not display be selected. If the area around the eyes is red, for example from using red eye shadow, that area may also be corrected. Zooming the AF Frame and Shooting The AF frame area can be zoomed to check focus while shooting. Frame color Content Orange Displays the area of the image shown at the bottom right. White Indicates the AF frames or the positions of faces that were used for focusing when shooting. The camera is

continually focusing on whatever it is aimed at Continuous even when the shutter button is not pressed, allowing you to shoot without missing opportunities. The camera only focuses when the shutter button is pressed Single halfway, conserving battery power. In addition, the camera meters the subject so that the face is correctly illuminated when the flash fires. Select a face you wish to focus on. 1. Press the shutter button all the way to shoot. In the following cases, the face select mode will be canceled. Cancel the manual focus mode, then change the AF frame setting. Using the Manual Focus in Combination with the Auto Focus Safety MF First, manual focus is used to roughly focus, then from that focus position the camera automatically focuses more accurately. This is effective when the contrast is too strong between the subject and background or when a subject is backlit. Aim the camera at the subject on which you wish to lock the exposure. Raise the flash. mode, press the button and select flash on. Adjust the exposure compensation to a negative value to avoid making the subject too bright in night shots or when shot against a dark background. The camera divides images into several zones for metering.

Canon Laserbase Mf3220 Mf 3220 Service Manual & Repair Guide



[DOWNLOAD HERE](#)

YOUR CANON NEEDS REPAIR OR MAINTENANCE? REPAIR YOURSELF YOUR CANON AND SAVE \$\$\$ This Official Service & Repair Manual it will help you too: Disassembly and Part Replacement Repair Parts and Circuit Diagrams Troubleshoot Maintenance Service Information This Service & Repair Manual includes illustrated pictures and step-by-step instructions and is used in service shops. FORMAT: PDF PAGES : 124 LANGUAGE: English COMPATIBLE: Win/Mac INSTANT DOWNLOAD OF THE MANUAL. ALL PAGES ARE PRINTABLE BUY FROM US AND I GUARANTEE THAT YOU WILL BE A HAPPY COSTUMER. THANK YOU We have a large manual database if you don't find a specific manual email us and we will help you in the shortest time. Tags: canon laser base 3220 repair guide disassembly

[DOWNLOAD HERE](#)

[Similar manuals:](#)

<http://eco-region31.ru/bosch-stacking-kit-manual>

It Evaluative evaluates complex lighting conditions, such as the position of the subject, the brightness, the direct light, and the backlighting, and adjusts the settings to the correct exposure for the main subject. When the setting cannot produce natural looking colors, change the white balance using a setting appropriate for the light source. The correct white balance may not be obtained when the exposure setting is incorrect image appears completely black or white. Shoot with the same settings as when reading the white balance data. My Colors Off Records normally with this setting. Emphasizes the contrast and color saturation to Vivid record bold colors. Helps Grid Lines confirm the vertical and horizontal positioning of the subject. Movie To Return to Single Image Playback Press the zoom lever toward. Moreover, as you can change the display size and switch images, you can easily check facial expressions and whether a subject's eyes are closed. Jump Shot Date Jumps to the first image of each shooting date. Once organized into categories, you can jump to and display

the image you want p. 129. You can also organize one image into multiple categories. An icon will display when a printer is connected. See Print the Direct Print User Guide for details. Play Play. You can use the button to slow down or the Slow Motion button to speed up playback. No transition effect. The displayed image darkens and the next image gradually brightens until it is displayed. Press the button to have the previous image display from the left and the button to have the next image display from the right. The LCD monitor displays each image for approximately 3 seconds. No transition effect. The new image gradually brightens as it moves upward from the bottom. The previous image moves to the left and the next image display from the right. RedEye Correction Function You can correct red eyes in recorded images.

<http://groupepse-cabinet-recouvrement-affacturation-assurancecredit.com/images/ca7-scheduler-manual.pdf>



Red eyes may not be automatically detected in some images or the results may not turn out as you intended. Redeye correction cannot be performed on Overwriting cannot be performed on protected images. When there is not enough space left on the memory card, redevye correction cannot be performed. Record Starts recording. Pause Pauses recording or playback. Play Begins playback. Note that erased images cannot be recovered. Exercise adequate caution before erasing an image. Protected images cannot be erased with this function. Refer to the Software Starter Guide for instructions on how to transfer images to your computer. The settings used on the camera comply with the DPOF standards. Press the power button again to restore power. The power saving function will not activate during a slide show or while the camera is connected to a computer. Downloaded from ManualsCamera.com Manuals. Please note that formatting initializing a memory card erases all data, including protected images and other file types. You can select how the file number is assigned. A number one higher than the last one recorded is assigned to the next image. Up to 2000 images can be saved into a single folder. New Folder Created Memory Card Exchanged for Another Memory Card 1. Create New Creates a new folder the next time you shoot images. To Folder create an additional folder, insert the check mark again. You can also specify a date and time if you wish to create a Auto Create new folder using a shooting time after the specified date and. It then regulates the optimal white balance, exposure and focus for vertical photography. Turn off the camera and the TV. There is no malfunction. changed. When the power is turned on "Card locked!" message appears. The SD memory card's or When recording to, erasing from or SDHC memory card's formatting the memory card, slide the write protect tab is set to. A bar of light purplish red appears on the LCD

monitor.

<http://itech2fix.com/images/ca61-motherboard-manual.pdf>



Sometimes appears when This is a normal occurrence in devices shooting a bright subject, containing CCDs and does not such as the sun or other. If reformatting does not work, the memory card logic circuits may be damaged. Consult the nearest Canon Customer Support Help Desk. SD memory card or SDHC Slide the write protect tab upward memory card is write p. Light from the flash has This is a phenomenon that occurs reflected off dust particles with digital cameras and does not or insects in the air. This is constitute a malfunction.Memory card was Use a memory card formatted in your formatted in another camera p. 156. device. Lens will not retract.You attempted to play Computer images that cannot be back images shot with played back may play back if they are another camera or images added to the camera using the edited with a computer.Wipe the terminals well with a dry cloth before use. Reload the batteries several times. If using Canon AAsize NiMH batteries As the batteries have not Their charging performance should be used for over a year,. Replace both batteries immediately with unused AAsize alkaline batteries or fully charged Canon AAsize NiMH batteries. Also refer to Battery p. 185. No image. No images recorded on memory card. In addition, sound cannot be played back. Cannot modify image You attempted to resize or perform red eye correction on a movie or an image recorded with another camera. If this message continues to display, contact your Canon Customer Support Help Desk as there may be a problem with the lens. Always ensure that the camera is operated correctly. The safety precautions noted on the following pages are intended to instruct you in the safe and correct operation of the camera and its accessories to prevent injuries or damage to yourself, other persons and equipment. Do not use substances containing alcohol, benzine, thinners or other flammable substances to clean or maintain the equipment.

The batteries should not be immersed in water or sea water. Do not attempt to disassemble, alter or

apply heat to the batteries. When recharging the Canon AAsize NiMH batteries, use only a specified battery charger. The compact power adapter is designed for exclusive use with this equipment. Be careful not to bump or strongly push the end of the lens. The abovementioned could lead to injury or damage the equipment. Be careful not to cover the flash with your fingers or clothing when shooting. The flash may be damaged and emit smoke or noise. The resulting heat buildup could damage the flash. Camera operating time may shorten at low temperatures when alkaline batteries are used. The partially used batteries may leak. Do not install the batteries with their terminals reversed. Do not mix batteries of different types or from different manufacturers. Before installing the batteries, wipe the battery terminals well with a dry cloth. Formatting or erasing the data on a memory card merely changes the file management information on the memory card and does not ensure that its contents are completely deleted. When disposing of a memory card, take precautions, such as physically destroying the memory card, to prevent personal information leaks. Do not mix batteries with different purchase dates or different charge states. When recharging batteries, always recharge both of them at the same time. If you are purchasing new batteries, look for Canon AAsize NiMH batteries. Leaving batteries in the camera or charger may result in damage from battery leakage. When not in use, remove the batteries from the camera or charger and store them in a

Downloaded from ManualsCamera.com Manuals. Use the following procedures to affix the camera and HighPower Flash to the supporting bracket. The HighPower Flash may not fire outdoors in daylight or when there are no reflective items. For continuous shooting, although the flash fires for the first shot, it does not fire for subsequent shots.

<https://suhrmad.dk/wp-content/plugins/formcraft/file-upload/server/content/files/16272f6ddd5cd6---briggs-and-stratton-17-hp-engine-repair-manual.pdf>

Fasten the attachment screws securely so that they do not loosen. Please purchase a lithium coin battery CR1220 and replace it as follows. If dirt remains, contact the closest Canon Customer Support Help Desk as listed on the separate customer support list supplied with your camera. Product specifications and appearance are subject to change without notice, at our sole discretion. PowerShot SX110 IS W Max. Continuous Shooting Approx. Actual results may vary according to the subject and shooting conditions. Downloaded from ManualsCamera.com Manuals. Canon PowerShot SX110 IS boasts a powerful 10x 36360mm optical zoom lens bring distant subjects closer. The Lensshift Image Stabilizer reduces the effects of camera shake and blur, giving you steady shots, even at maximum zoom. The 9 MP CCD sensor combines with the DIGIC III Image Processor delivers outstanding image quality. The PowerShot SX110 IS features Face Detection technology, which automatically sets focus, exposure, flash and white balance for truetolife people shots. Other highlights include 3inch LCD screen, Full Manual Control, Easy Mode, Redeye Correction and Motion Detection Technology keeps everything looking sharp and clear. This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file. Access your account, or create a new account, click here to get started.

Recommended Software	File Name	Date	File Size	Optional Software	File Name	Date	File Size
Recommended Manuals	File Name	Date	File Size	Optional Manuals	File Name	Date	File Size

The Product purchased with this limited warranty is the only PowerShot Digital Camera to which this limited warranty applies. Warranty exchange or replacement does not extend the original warranty period of the Product.

The sole warranty, if any, with the respect to such nonCanon brand items is given by the manufacturer or producer thereof. This limited warranty covers all defects encountered in normal use of the Products, and does not apply in the following cases A Canon Customer Care representative will attempt to diagnose the nature of the problem and correct it over the telephone. If the problem cannot be corrected over the telephone, you will be asked to follow the applicable

procedures for MAILIN SERVICE. Note that a dated proof of purchase is required at the time of service. MAILIN SERVICE is a program under which your Product is repaired by a Canon U.S.A. or a Canon Canada authorized service center for the Product. You will be given the name, address and phone number of an authorized service center. It is your responsibility to properly package and send the defective Product, together with a copy of your dated proof of purchase, a complete explanation of the problem and a return address to the authorized service center at your expense. Do not include any other items with the defective Product. The Product covered by this limited warranty and proven to be defective upon inspection will be repaired and returned to you without charge by the authorized service center. Any Product received by the authorized service center that is not covered by the limited warranty will be returned unrepaired, or at the discretion of the authorized service center, you may receive a written estimate of repair at such cost as the service center may establish from time to time. Figures for Movie Mode represent total capacity of the particular media. Canon, DIGIC, PIXMA, PowerShot and SELPHY are registered trademarks of Canon Inc. Mac is a trademark of Apple, Inc., registered in the United States and other countries. All other products and brand names are registered trademarks, trademarks or service marks of their respective owners.

Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store Provides uninterrupted power for shooting or downloading. It allows viewing of recorded images from the Canon Powershot Digital Cameras. Effectively doubles the flash range of the camera. Comes with mounting bracket. The cable connects to your camera and to the USB port on your PC or MAC Computer. Comes standard with the EOS 1Ds Mark III, 1D Mark IV, 1D Mark III, 1Ds Mark II, 1D Mark II N, 1D Mark II, 5D Mark II, 7D, 5D, 50D, 40D, 30D, 20D, 10D, Digital Rebel XTi, Digital Rebel XT and Digital Rebel. Please see Compatibility tab for compatible models. With this Table of Content, you can directly go to the certain part of this article simply by clicking the sub topic below. Contents show 1 An Introduction to Canon PowerShot SX110 IS Manual 1.1 The Overall Look of Canon PowerShot SX110 IS 1.2 The Specification of Canon PowerShot SX110 IS 1.3 Price and Impression of Canon PowerShot SX110 IS 2 Canon PowerShot SX110 IS Manual User Guide An Introduction to Canon PowerShot SX110 IS Manual It is such a perpetuation that a product, especially for the digital camera product, can't be separated from its manual. By using this manual, user will be able to understand about their product deeper. Therefore, operating and treating the camera better will be something possible. This is exactly why we provide the Canon PowerShot SX110 IS Manual. The only aim is to educate the users of this camera to use this product better so that they can result a good photographical image. The Overall Look of Canon PowerShot SX110 IS It is generally known that look is something important that becomes a consideration for people in buying digital camera product. With the look, People can instantly attracted to a certain digital camera product. More than that, sometimes the choice of camera look is also reflecting the personality of owner as well as the classiness of the camera itself.

So, before we hit the Canon PowerShot SX110 IS Manual User Guide directly, now we are going to talk about the look of this camera first. First thing that steal your heart is the camera design. It is undeniably ergonomic with curvy edges. The design is dominated by allblack in the whole body. But, you can get the silver one for another series. Based on the Canon PowerShot SX110 IS, body dimension of this camera is 111 x 71 x 45 mm. So, this camera will fit in your hand very well. Moreover, the overall body weight is approximately 245 gram without battery and card. Having these two measurements, Canon PowerShot SX110 IS is suitable option for practical camera. The Specification of Canon PowerShot SX110 IS If you think that Canon is only doing very well in DSLR camera, you are totally wrong. This manufacturer also pays serious attention on the midsized products. Introducing one of the midsized camera frontrunners, Canon PowerShot SX110 IS. Comes as the next generation of SX100 IS, the SX110 IS is indeed bringing better performance and design. Get closer with this gadget as detailed through paragraphs below. Based on the Canon PowerShot SX110 IS manual, this is the main reason for the possibility to get maximum image resolution at

3456 x 2592. Get more experience than just snapping images, but also recording the motion. No need to worry of getting blurry pictures, thanks to DIGIC III technology. To get perfect focus, the manufacturer put their trust on 36360 mm focal length lens with maximum aperture at f2.84.3. Further, you will be amazed on how it did very well for 4x optical zooming. Nothing more enjoyable than editing the images live from your Canon PowerShot SX110 IS. It brings creative controls and effortless ease, so that you can't be happier. There are two bundled software to be used with this cool camera; ZoomBrowser EX 6.1 and PhotoStitch 3.1 for Windows.

Feel free to select the language, since this series supports almost 25 languages from all around the world. Last but not least, you are able to do more with its popup flash. Able to reach up to 3 meters object, it is time to break the limits. Price and Impression of Canon PowerShot SX110 IS D. Golden, one of the users, said that he never imagines to have Canon PowerShot SX110 IS. But, He thinks that this is one of the best purchases he has ever made. You might also like to read another review about this camera in this page. Go grab this camera at 299 USD and get unforgettable moment of photography. Canon PowerShot SX110 IS Manual User Guide As it is stated at the beginning of this article, the aim of providing this writing is to bring the Canon PowerShot SX110 IS Manual. This is the manual that will give you the information related to the specification, features, operation, instruction, camera manual, and others. So, for you who want to look for information regarding to this Canon camera product, referencing to the manual below will be the best thing to do. To give you the better access, we will provide the manual in PDF. So, before reaching out to the manual, it will be better if you download the PDF reader software first. Download Canon Camera PowerShot SX110 IS Manual That's all of the information related to the Canon PowerShot SX110 IS Manual. We hope that the information below could be beneficial to update your understanding toward this camera product. If you have any thoughts about this product in general, we welcome you to put them in the comment session below. And if you find this information is useful, sharing this article in your personal page will be so much helpful.

Share Pinterest Tweet Linkedin Email Prev Article Next Article Related Articles Canon PowerShot A470 Manual for Canon's 7MP Compact Camera with DIGIC III Technology Canon PowerShot A590 IS Manual, Manual of Truly CompletePackaging Compact Camera Leave a Reply Cancel reply This site uses Akismet to reduce spam. Learn how your comment data is processed. By continuing to use this website, you agree to their use. Please consider supporting us by disabling your ad blocker. Refresh. Using the online preview, you can quickly view the contents and go to the page where you will find the solution to your problem with Canon PowerShot SX110 IS. To start viewing the user manual Canon PowerShot SX110 IS on full screen, use the button Fullscreen. However, if you do not want to take up too much of your disk space, you can always download it in the future from ManualsBase. The option to print the manual has also been provided, and you can use it by clicking the link above Print the manual. You do not have to print the entire manual Canon PowerShot SX110 IS but the selected pages only. paper. If you want to quickly view the content of pages found on the following pages of the manual, you can use them. Face Detection and antiblur technologies make great people shots effortless, while Easy mode lets all the family get involved. DIGIC III with iSAPS. Canon's DIGIC III processor delivers lightningfast response times, superior colour reproduction, and outstanding noise reduction.A generous 3.0" LCD screen with wide viewing angle makes framing and reviewing shots a pleasure. The inclusion of My Colors lets you add filter effects such as black and white, either in shooting or playback. Get great, blurfree shots, even at long zoom range or in low light. ISO is also optimised for minimum blur and maximum image quality.

Getting StartedCamera User Guide this guide Direct Print User Guide Connecting the camera to a printer Software Starter Guide Connecting the camera to a computerLets Get Started! This guide is divided into the following two sections. First. Getting StartedThis section explains how to prepare the camera for use and the basics of shooting, viewing and printing images. Please Read.7. Getting

Started 18 19 20 22 24 26 27 34. Learning More.39 Components Guide 40. Shooting Using the Mode Dial. Power Saving Function.Formatting Memory Cards.Resetting the File Number.Creating an Image Destination Folder.Setting the Auto Rotate Function.Resetting Settings to Their Default Values.Index Functions Available in Each Shooting ModeAvailable Shooting Modes p. 222Mode guide are based on the cameras default settings at time of purchase. Warranty Limitations. This cameras warranty is only effective in the country of sale. About the LCD Monitor The LCD monitor is produced with extremely highprecision manufacturing techniques. More than 99.99% of the pixels operate to specification. Getting StartedSlide the cover b. Open the cover cEnsure that the memory card is correctly oriented before inserting it in the camera. Inserting it backward may cause the camera to fail to recognize the memory card or to malfunction. To Remove the Batteries. Open the cover and remove the batteries. Take care that you do not drop the batteries. To Remove the Memory Card. Push the memory card with your finger until you hear a click, then release it.Setting the Date and Time. Power Button. Button Control Dial Buttons MENU ButtonPreparations. Getting Started. Setting the Display Language. You can change the language displayed in the LCD monitor menus and messages. Button. ButtonsTo Shoot Images in FocusMute Setting Pressing the DISP. Easy Mode Recommended for BeginnersButton Button. Control Dial Buttons ButtonYou can also select images by using the control dial.For details, see the Direct Print User Guide.

<http://superbia.lgbt/flotaganis/1649431203>